Percent of Women Who Did Not Smoke During the Last 3 Months of Pregnancy, by County and Public Health District, Maine, 2006-2010

	Unweighted Number	Weighted Number	%	95% CI
County				
Androscoggin	402	4,608	79.4	75.1 - 83.7
Aroostook	224	2,789	73.3	67.5 - 79.2
Cumberland	1032	12,260	87.1	84.8 - 89.4
Franklin	100	1,205	80.1	71.7 - 88.5
Hancock	160	1,944	82.8	76.7 - 89.0
Kennebec	405	4,931	75.1	70.8 - 79.5
Knox	132	1,727	81.4	74.4 - 88.4
Lincoln	97	1,210	80.8	72.7 - 88.8
Oxford	184	2,315	76.4	70.2 - 82.7
Penobscot	508	5,779	79.0	75.2 - 82.8
Piscataquis	45	496	70.0	57.0 - 83.0
Sagadahoc	145	1,728	84.2	77.9 - 90.5
Somerset	156	1,840	73.3	66.3 - 80.3
Waldo	160	2,054	80.4	74.4 - 86.5
Washington	96	1,164	72.3	63.3 - 81.3
York	556	6,515	86.3	83.2 - 89.5
Public Health District				
Aroostook	224	2,789	73.3	67.5 - 79.2
Central	561	6,770	74.6	70.9 - 78.3
Cumberland	1032	12,260	87.1	84.8 - 89.4
Downeast	256	3,108	78.5	73.3 - 83.8
Midcoast	534	6,719	81.7	78.3 - 85.1
Penquis	553	6,275	78.2	74.6 - 81.9
Western	686	8,129	78.6	75.4 - 81.9
York	556	6,515	86.3	83.2 - 89.5

Data Source: Pregnancy Risk Assessment Monitoring System.

n=unweighted number of adults (numerator).

N=weighted number of adults (weighted numerator).

All %'s are weighted to be more representative of the general adult population of Maine and to adjust for non-response. 95% CI = 95% Confidence Interval.

Use caution in interpreting percentages with an unweighted numerator or denominator less than 50.